



INTERVALO	TIEMPO HORAS	Presion (mca) CAMPO	Presion (mca) SECTORIZADO
1	6.00	10.69	15.14
2	6.25	11.54	15.14
3	6.50	12.96	15.14
4	6.75	14.68	15.14
5	7.00	15.70	15.14
6	7.25	15.51	15.14
7	7.50	15.23	15.14
8	7.75	15.19	15.14
9	8.00	15.00	15.14
10	8.25	14.70	15.14
11	8.50	14.82	15.14
12	8.75	15.15	15.14
13	9.00	15.63	15.15
14	9.25	12.95	15.15
promedio		14.27	15.14
n=intervalos			
n=1=	13		

INTERVALO	TIEMPO HORAS	Presion (mca) CAMPO	Presion (mca) SECTORIZADO
1	6.00	24.25	23.61
2	6.25	24.73	23.61
3	6.50	25.98	23.61
4	6.75	26.92	23.61
5	7.00	26.13	23.61
6	7.25	25.83	23.61
7	7.50	26.91	23.62
8	7.75	27.28	23.62
9	8.00	28.33	23.62
10	8.25	27.21	23.62
11	8.50	26.85	23.62
12	8.75	27.79	23.62
13	9.00	25.82	23.62
14	9.25	26.31	23.62
promedio		26.45	23.62
n=intervalos			
n=1=	13		

Label	Elevation (m)	Demand (L/s)	Hydraulic Grade (m)	Pressure (m H2O)
N-1	3853.0000	0.1180	3881.72	28.82
N-2	3865.3900	0.3450	3881.13	15.74
N-3	3864.8800	0.3160	3881.06	16.05
N-4	3863.3400	0.4130	3880.98	15.61
N-5	3865.1500	0.5660	3880.92	15.74
N-6	3863.1700	0.3650	3880.81	17.61
N-7	3863.7500	0.0570	3880.80	17.01
N-8	3863.3900	0.3120	3880.77	17.14
N-9	3864.9200	0.2250	3880.75	15.80
N-10	3860.2500	0.2280	3878.59	18.30
N-11	3860.1300	0.0750	3878.59	18.42
N-12	3860.2100	0.4230	3878.58	18.34
N-13	3860.6300	0.0460	3878.58	17.91
N-14	3863.1600	0.0370	3878.57	15.36
N-15	3865.6100	0.4480	3878.57	12.64
N-16	3860.4200	0.0240	3878.58	18.12
N-17	3863.4100	0.3000	3878.58	15.14
N-18	3861.9600	0.3970	3878.58	16.59
N-19	3868.4300	0.2970	3878.57	12.12
N-20	3865.4700	0.1250	3878.57	13.08
N-21	3864.2400	0.2500	3878.58	14.31
N-22	3849.9900	0.1460	3880.36	30.32
N-23	3849.8100	0.1040	3874.98	25.12
N-24	3851.0400	0.7080	3874.97	23.88
N-25	3854.4400	0.3600	3874.95	20.47
N-26	3851.3100	0.1300	3874.97	23.61
N-27	3853.2900	0.0250	3874.97	21.84
N-28	3853.6900	0.1010	3874.97	19.24
N-29	3856.0400	0.1510	3874.96	18.89
N-30	3847.3000	0.0910	3874.97	27.62
N-31	3852.3600	0.2110	3874.97	22.56
N-32	3845.7300	0.0610	3874.97	29.19
N-33	3847.5400	0.1430	3874.97	27.57
N-34	3844.8800	0.0520	3874.97	30.03
N-35	3848.0500	0.0840	3874.97	28.86
N-36	3843.8600	0.0530	3874.97	31.10
N-37	3844.8900	0.0520	3874.97	30.02
N-38	3842.5300	0.0200	3874.97	32.37
N-39	3842.4000	0.0170	3874.97	32.50
N-40	3853.6000	0.0320	3874.96	21.32
N-41	3854.8400	0.1330	3874.96	20.08
N-42	3857.4200	0.1210	3874.96	17.51
N-43	3844.1400	0.0500	3874.97	30.76
N-44	3848.1700	0.0600	3880.92	32.68
N-45	3847.2500	0.0610	3880.98	33.69
N-46	3847.1700	0.0760	3876.29	29.06
N-47	3847.3300	0.0380	3876.29	28.91
N-48	3842.4700	0.0750	3876.29	33.75
N-49	3842.3600	0.0580	3871.09	28.85
N-50	3845.2800	0.0910	3876.29	30.37
N-51	3843.6400	0.0500	3876.29	32.59
N-52	3846.6500	0.0810	3876.29	29.58
N-53	3844.9800	0.0580	3876.29	31.25
N-54	3848.6600	0.0840	3876.29	27.64
N-55	3846.4600	0.0750	3876.29	29.77
N-56	3845.2800	0.1540	3871.32	25.99
N-57	3842.0400	0.1320	3871.02	28.92
N-58	3840.4000	0.1650	3870.95	30.46
N-59	3839.4100	0.0760	3870.67	31.19
N-60	3838.7600	0.1020	3870.55	31.72
N-61	3836.9500	0.1930	3870.53	33.51
N-62	3836.1400	0.1320	3870.52	34.32
N-63	3835.1700	0.1850	3870.52	33.28
N-64	3834.2500	0.3000	3870.52	36.19
N-65	3833.8800	0.2240	3870.52	36.56
N-66	3833.9400	0.0810	3870.52	36.50
N-67	3834.1600	0.2040	3862.69	28.47
N-68	3834.1400	0.2480	3862.69	28.50
N-69	3835.6500	0.2190	3862.78	27.07
N-70	3835.4900	0.0950	3862.87	27.32
N-71	3836.3600	0.1670	3862.81	26.40
N-72	3837.3500	0.1140	3862.80	25.40
N-73	3836.6300	0.0850	3862.80	26.12
N-74	3841.3600	0.0880	3871.09	29.67
N-75	3841.3600	0.0940	3871.04	26.63
N-76	3841.2100	0.1210	3871.04	29.77
N-77	3844.6600	0.0660	3870.92	26.21
N-78	3845.0700	0.1780	3870.94	25.81
N-79	3842.0500	0.0940	3870.94	28.83
N-80	3844.4400	0.0680	3870.99	26.50
N-81	3847.7500	0.1170	3870.95	23.15
N-82	3848.2800	0.1280	3870.94	22.62
N-83	3840.2900	0.0640	3870.93	30.58
N-84	3840.1000	0.1470	3870.89	30.73
N-85	3837.8000	0.0890	3870.89	33.02
N-86	3838.5300	0.0740	3870.55	31.95
N-87	3838.7400	0.0330	3870.55	31.73
N-88	3838.8600	0.0390	3870.55	31.69
N-89	3839.3700	0.0660	3870.59	31.15
N-90	3840.1100	0.0590	3870.63	30.46
N-91	3840.5900	0.0320	3870.82	30.16
N-92	3840.6300	0.0180	3870.92	30.23
N-93	3840.3300	0.0460	3870.93	30.55
N-94	3840.5400	0.1040	3870.58	29.98
N-95	3836.6600	0.0780	3862.69	25.97
N-96	3836.3400	0.0430	3862.68	26.29
N-97	3838.2500	0.0550	3862.67	24.40
N-98	3838.0000	0.0200	3862.66	24.61
N-99	3838.5900	0.0220	3862.65	24.01
N-100	3839.0300	0.0230	3862.65	23.57
N-101	3839.2100	0.0290	3862.65	23.39
N-102	3838.5900	0.0180	3862.64	24.01
N-103	3841.7600	0.0390	3870.90	29.09
N-104	3843.6100	0.0540	3870.92	27.25
N-105	3838.5500	0.0670	3862.64	24.05
N-106	3838.6400	0.0630	3862.64	23.96
N-107	3836.4200	0.0750	3862.69	26.21
N-108	3836.6000	0.0290	3862.69	26.04
N-109	3836.6500	0.0820	3862.71	26.01
N-110	3835.0100	0.0430	3862.78	27.72
N-111	3835.0900	0.0520	3862.78	27.74
N-112	3835.0200	0.0430	3862.73	27.66
N-113	3834.6600	0.0820	3862.69	27.98
N-114	3836.6700	0.0390	3862.68	26.01
N-115	3837.7300	0.0260	3862.68	24.90
N-116	3835.7300	0.0880	3862.69	26.90
N-117	3835.1400	0.1290	3862.69	27.49
N-118	3835.2900	0.0950	3862.69	27.34
N-119	3835.1400	0.0560	3862.68	26.49
N-120	3833.9800	0.0560	3862.68	28.65
N-121	3836.0700	0.0680	3862.69	26.56
N-122	3835.3000	0.0940	3870.52	35.15
N-123	3863.5100	0.8670	3880.74	17.20
N-124	3847.5600	0.0560	3874.97	22.41
N-125	3835.6900	0.1010	3862.81	27.06
N-126	3839.9900	0.1280	3862.64	22.61
N-127	3839.2000	0.2490	3862.41	23.16
N-128	3835.6500	0.1860	3861.91	29.22
N-129	3882.2500	0.7440	3883.16	0.91
N-130	3881.7600	0.1970	3883.06	1.30
N-131	3882.1900	0.1940	3883.01	0.82
N-132	3881.2700	0.2250	3882.96	1.69
N-133	3879.8100	0.2040	3882.93	3.11
N-134	3877.3100	0.1330	3882.88	5.56
N-135	3873.4500	0.0660	3882.84	9.37
N-136	3872.6600	0.1360	3882.82	10.19
N-137	3869.4700	0.0960	3882.73	13.29
N-138	3867.2900	0.0120	3882.70	15.38
N-139	3867.0400	0.0220	3882.69	15.62
N-140	3863.5600	0.0390	3882.68	19.08
N-141	3860.6100	0.0380	3882.67	22.02
N-142	3856.6600	0.0610	3882.63	25.97
N-143	3863.8300	0.1290	3882.71	16.84
N-144	3862.1300	0.0830	3882.67	20.50
N-145	3861.2900	0.0650	3882.66	21.41
N-146	3839.9800	0.0410	3870.56	30.52
N-147	3839.0600	0.0830	3870.56	31.44
N-148	3841.7600	0.0390	3862.64	20.84
N-149	3850.9600	0.1070	3876.30	25.29
N-150	3841.6200	0.0380	3876.29	34.69
N-151	3838.3100	0.0550	3870.89	32.51
N-152	3838.2800	0.0290	3870.55	32.20
N-153	3837.9200	0.0890	3862.68	24.71
N-154	3838.1400	0.0570	3870.52	34.31
N-155	3836.6200	0.0640	3870.53	33.84

PUNTO	COTA
PRV1	3838.820
PRV2	3863.070
PRV3	3850.290
PRV4	3850.330
PRV5	3861.550

INTERVALO	TIEMPO HORAS	caudal (L/s) CAMPO	caudal (L/s) SECTORIZADO
1	6.00	31.33	20.10
2	6.25	29.76	19.10
3	6.50	29.14	18.69
4	6.75	28.51	18.29
5	7.00	28.20	18.09
6	7.25	28.20	18.09
7	7.50	27.26	17.49
8	7.75	24.75	15.88
9	8.00	26.63	17.09
10	8.25	26.63	17.09
11	8.50	25.38	16.28
12	8.75	25.06	16.08
13	9.00	22.87	14.67
14	9.25	21.62	13.87
promedio		26.81	17.20

**LEYENDA**

- DIAMETRO = 50MM o 2"
- DIAMETRO = 76MM o 3"
- DIAMETRO = 90MM o 3.5"
- DIAMETRO = 100MM o 4"
- DIAMETRO = 110MM o 4.3"
- DIAMETRO = 150MM o 6"
- DIAMETRO = 200MM o 8"

INTERVALO	TIEMPO HORAS	Presion (mca) CAMPO	Presion (mca) SECTORIZADO
1	6.00	31.51	24.61
2	6.25	32.12	24.63
3			